

GRACE TECHNICAL REPORTS

Marker-directed Optimization of UnCAL Graph Transformations

Soichiro Hidaka Zhenjiang Hu Kazuhiro Inaba
Hiroyuki Kato Kazutaka Matsuda Keisuke Nakano
Isao Sasano

GRACE-TR 2011-02

June 2011



CENTER FOR GLOBAL RESEARCH IN
ADVANCED SOFTWARE SCIENCE AND ENGINEERING
NATIONAL INSTITUTE OF INFORMATICS
2-1-2 HITOTSUBASHI, CHIYODA-KU, TOKYO, JAPAN

WWW page: <http://grace-center.jp/>

The GRACE technical reports are published as a means to ensure timely dissemination of scholarly and technical work on a non-commercial basis. Copyright and all rights therein are maintained by the authors or by other copyright holders, notwithstanding that they have offered their works here electronically. It is understood that all persons copying this information will adhere to the terms and constraints invoked by each author's copyright. These works may not be reposted without the explicit permission of the copyright holder.

Marker-directed Optimization of UnCAL Graph Transformations^{*}

Soichiro Hidaka¹, Zhenjiang Hu¹, Kazuhiro Inaba¹, Hiroyuki Kato¹, Kazutaka Matsuda², Keisuke Nakano³, and Isao Sasano⁴

¹ National Institute of Informatics, Japan,
{hidaka, hu, kinaba, kato}@nii.ac.jp

² The University of Electro-Communications, Japan,
ksk@cs.uec.ac.jp

³ Tohoku University, Japan,
kztk@kb.ecei.tohoku.ac.jp

⁴ Shibaura Institute of Technology, Japan,
sasano@sic.shibaura-it.ac.jp

Abstract. Buneman et al. proposed a graph algebra called UnCAL (Unstructured CALculus) for compositional graph transformations based on structural recursion, and we have recently applied to model transformations. The compositional nature of the algebra greatly enhances the modularity of transformations. However, intermediate results generated between composed transformations cause overhead. Buneman et al. proposed fusion rules that eliminate the intermediate results, but auxiliary rewriting rules that enable the actual application of the fusion rules are not apparent so far. UnCAL graph model includes the concept of markers, which correspond to recursive function call in the structural recursion. We have found that there are many optimization opportunities at rewriting level based on static analysis, especially focusing on markers. The analysis can safely eliminate redundant function calls. Performance evaluation shows its practical effectiveness for non-trivial examples in model transformations.

Keywords: program transformations, graph transformations, UnCAL

1 Introduction

Graph transformation has been an active research topic [8] and plays an important role in model-driven engineering [5, 10]; models such as UML diagrams are represented as graphs, and model transformation is essentially graph transformation. We have recently proposed a bidirectional graph transformation framework [6] based on providing bidirectional semantics to an existing graph transformation language UnCAL [4], and applied it to bidirectional model transformation by translating from existing model transformation language to UnCAL [9]. Our success in providing well-behaved bidirectional transformation framework

^{*} This is a full version of the paper to appear in Proc. of The 21st International Symposium on Logic-Based Program Synthesis and Transformation (LOPSTR 2011).

was due to structural recursion in UnCAL, which is a powerful mechanism of visiting and transforming graphs. Transformation based on structural recursion is inherently compositional, thus facilitates modular model transformation programming.

However, compositional programming may lead to many unnecessary intermediate results, which would make a graph transformation program terribly inefficient. As actively studied in programming language community, optimization like fusion transformation [11] is desired to make it practically useful. Despite a lot of work being devoted to fusion transformation of programs manipulating lists and trees, little work has been done on fusion on programs manipulating graphs. Although the original UnCAL has provided some fusion rules and rewriting rules to optimize graph transformations [4], we believe that further work and enhancement on fusion and rewriting are required.

The key idea presented in this paper is to analyze input/output markers, which are sort of labels on specific set of nodes in the UnCAL graph model and are used to compose graphs by connecting nodes with matching input and output markers. By statically analyzing connectivity of UnCAL by our marker analysis, we can simplify existing fusion rule. Consider, for instance, the following existing generic fusion rule of the structural recursion in UnCAL:

$$\begin{aligned} & \mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)(\mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)(e_0)) \\ & = \mathbf{rec}(\lambda(\$l_1, \$t_1).\mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)(e_1 @ \mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)(\$t_1)))(e_0) \end{aligned}$$

where $\mathbf{rec}(\lambda(\$l, \$t).e)$ denotes a structural recursive function which is an important computation pattern and will be explained later. The graph constructor $@$ connects two graphs by matching markers on nodes, and in this case, result of transformation e_1 is combined to another structural recursion $\mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)$. If we know by static analysis that e_1 creates no output markers, or equivalently, $\mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)$ makes no recursive function call, then we can eliminate $@ \mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)(\$t_1)$ and further simplify the fusion rule. Our preliminary performance analysis reports relatively good evidence of usefulness of this optimization.

The main technical contributions of this paper are two folds: a sound and refined static inference of markers and a set of powerful rewriting rules for optimization using inferred markers. All have been implemented and tested with graph transformations widely recognized in software engineering research. The source code of the implementation can be downloaded via our project web site at www.biglab.org.

The rest of this paper is organized as follows. Section 2 reviews UnCAL graph model, graph transformation language and existing optimizations. Section 3 proposes enhanced static analysis of markers. In Section 4, we build enhanced rewriting optimization algorithm based on the static analysis. Section 5 reports preliminary performance results. Section 6 reviews related work, and Section 7 concludes this paper.




Fig. 1. Graph Equivalence Based on Bisimulation

2 UnCAL Graph Algebra and Prior Optimizations

In this section, we review the UnCAL graph algebra [3, 4], in which our graph transformation is specified.

2.1 Graph Data Model

We deal with rooted, directed, and edge-labeled graphs with no order on outgoing edges. They are edge-labeled in the sense that all information is stored on labels of edges while nodes have no labels. UnCAL graph data model has two prominent features, *markers* and ε -edges. Nodes may be marked with *input* and *output markers*, which are used as an interface to connect them to other graphs. An ε -edge represents a shortcut of two nodes, working like the ε -transition in an automaton. We use *Label* to denote the set of labels and \mathcal{M} to denote the set of markers.

Formally, a graph G , sometimes denoted by $G_{(V,E,I,O)}$, is a quadruple (V, E, I, O) , where V is a set of nodes, $E \subseteq V \times (\text{Label} \cup \{\varepsilon\}) \times V$ is a set of edges, $I \subseteq \mathcal{M} \times V$ is a set of pairs of an input marker and the corresponding node, and $O \subseteq V \times \mathcal{M}$ is a set of pairs of nodes and associated output markers. For each marker $\&x \in \mathcal{M}$, there is at most one node v such that $(\&x, v) \in I$. The node v is called an *input node* with marker $\&x$ and is denoted by $I(\&x)$. Unlike input markers, more than one node can be marked with an identical output marker. They are called *output nodes*. Intuitively, input nodes are root nodes of the graph (we allow a graph to have multiple root nodes, and for singly rooted graphs, we often use default marker $\&$ to indicate the root), while an output node can be seen as a “context-hole” of graphs where an input node with the same marker will be plugged later. We write $\text{inMarker}(G)$ to denote the set of input markers and $\text{outMarker}(G)$ to denote the set of output markers in a graph G .

Note that multiple-marker graphs are meant to be an internal data structure for graph composition. In fact, the initial source graphs of our transformation have one input marker (single-rooted) and no output markers (no holes). For instance, the graph in Fig. 1(a) is denoted by (V, E, I, O) where

$V = \{1, 2, 3, 4, 5, 6\}$, $E = \{(1, \mathbf{a}, 2), (1, \mathbf{b}, 3), (1, \mathbf{c}, 4), (2, \mathbf{a}, 5), (3, \mathbf{a}, 5), (4, \mathbf{c}, 4), (5, \mathbf{d}, 6)\}$, $I = \{(\&, 1)\}$, and $O = \{\}$. $DB_{\mathcal{Y}}^{\mathcal{X}}$ denotes graphs with sets of input markers \mathcal{X} and output markers \mathcal{Y} . $DB_{\mathcal{Y}}^{\{\&\}}$ is abbreviated to $DB_{\mathcal{Y}}$.

2.2 Notion of Graph Equivalence

Two graphs are value equivalent if they are bisimilar. Please refer to [4] for the complete definition. Informally, graph G_1 is bisimilar to graph G_2 if every node x_1 in G_1 has at least a bisimilar counterpart x_2 in G_2 and vice versa, and if there is an edge from x_1 to y_1 in G_1 , then there is a corresponding edge from x_2 to y_2 in G_2 that is a bisimilar counterpart of y_1 , and vice versa. Therefore, unfolding a cycle or duplicating shared nodes does not really change a graph. This notion of bisimulation is extended to cope with ε -edges. For instance, the graph in Fig. 1(b) is value equivalent to the graph in Fig. 1(a); the new graph has an additional ε -edge (denoted by the dotted line), duplicates the graph rooted at node 5, and unfolds and splits the cycle at node 4. Unreachable parts are also disregarded, i.e., two bisimilar graphs are still bisimilar if one adds subgraphs unreachable from input nodes.

This value equivalence provides optimization opportunities because we can rewrite transformation so that transformation before and after rewriting produce results that are bisimilar to each other [4]. For example, optimiser can freely cut off expressions that is statically determined to produce unreachable parts.

2.3 Graph Constructors

Figure 2 summarizes the nine graph constructors that are powerful enough to describe arbitrary (directed, edge-labeled, and rooted) graphs [4]. Here, $\{\}$ constructs a root-only graph, $\{a : G\}$ constructs a graph by adding an edge with label $a \in Label \cup \{\varepsilon\}$ pointing to the root of graph G , and $G_1 \cup G_2$ adds two ε -edges from the new root to the roots of G_1 and G_2 . Also, $\&x := G$ associates an input marker, $\&x$, to the root node of G , $\&y$ constructs a graph with a single node marked with one output marker $\&y$, and $()$ constructs an empty graph that has neither a node nor an edge. Further, $G_1 \oplus G_2$ constructs a graph by using a componentwise (V, E, I and O) union. \cup differs from \oplus in that \cup unifies input nodes while \oplus does not. \oplus requires input markers of operands to be disjoint, while \cup requires them to be identical. $G_1 @ G_2$ composes two graphs vertically by connecting the output nodes of G_1 with the corresponding input nodes of G_2 with ε -edges, and **cycle**(G) connects the output nodes with the input nodes of G to form cycles. Newly created nodes have unique identifiers. The definition here is based on graph isomorphism (identical graph construction expressions results in identical graphs up to isomorphism), and they are, together with other operators, also bisimulation generic [4], i.e., bisimilar result is obtained for bisimilar operands.




Fig. 2. Graph Constructors

Example 1. The graph equivalent to that in Fig. 1(a) can be constructed as follows (though not uniquely).

$$\begin{aligned}
 &\&z @ \mathbf{cycle}((\&z := \{a : \{a : \&z_1\}\} \cup \{b : \{a : \&z_1\}\} \cup \{c : \&z_2\})) \\
 &\quad \oplus (\&z_1 := \{d : \{\}\}) \\
 &\quad \oplus (\&z_2 := \{c : \&z_2\})
 \end{aligned}
 \quad \square$$

For simplicity, we often write $\{a_1 : G_1, \dots, a_n : G_n\}$ to denote $\{a_1 : G_1\} \cup \dots \cup \{a_n : G_n\}$, and (G_1, \dots, G_n) to denote $(G_1 \oplus \dots \oplus G_n)$.

2.4 UnCAL Syntax

UnCAL (Unstructured Calculus) is an internal graph algebra for the graph query language UnQL, and its core syntax is depicted in Fig. 3. It consists of the graph constructors, variables, variable bindings, conditionals, and structural recursion. We have already detailed the data constructors, while variables, variable bindings and conditionals are self explanatory. Therefore, we will focus on *structural recursion*, which is a powerful mechanism in UnCAL to describe graph transformations.

A function f on graphs is called a structural recursion if it is defined by the following equations

$$\begin{array}{l}
e ::= \{\} \mid \{l : e\} \mid e \cup e \mid \&x := e \mid \&y \mid () \\
\mid e \oplus e \mid e @ e \mid \mathbf{cycle}(e) & \{ \text{constructor} \} \\
\mid \$g & \{ \text{graph variable} \} \\
\mid \mathbf{let} \$g = e \mathbf{in} e & \{ \text{variable binding} \} \\
\mid \mathbf{if} l = l \mathbf{then} e \mathbf{else} e & \{ \text{conditional} \} \\
\mid \mathbf{rec}(\lambda(\$l, \$g).e)(e) & \{ \text{structural recursion application} \} \\
l ::= a \mid \$l & \{ \text{label } (a \in \text{Label}) \text{ and label variable} \}
\end{array}$$

Fig. 3. Core UnCAL Language

$$\begin{aligned}
f(\{\}) &= \{\} \\
f(\{\$l : \$g\}) &= e @ f(\$g) \\
f(\$g_1 \cup \$g_2) &= f(\$g_1) \cup f(\$g_2),
\end{aligned}$$

And f can be encoded by $\mathbf{rec}(\lambda(\$l, \$g).e)$. Despite its simplicity, the core UnCAL is powerful enough to describe interesting graph transformation including all graph queries (in UnQL) [4], and nontrivial model transformations [7].

Example 2. The following structural recursion $a2d_xc$ replaces all labels **a** with **d** and removes edges labeled **c**.

$$\begin{aligned}
a2d_xc(\$db) = \mathbf{rec}(\lambda(\$l, \$g). & \mathbf{if} \$l = \mathbf{a} \mathbf{then} \quad \{\mathbf{d} : \&\} \\
& \mathbf{else if} \$l = \mathbf{c} \mathbf{then} \quad \{\varepsilon : \&\} \\
& \mathbf{else} \quad \{\$l : \&\}) (\$db)
\end{aligned}$$

The nested **ifs** correspond to e in the above equations. Applying the function $a2d_xc$ to the graph in Fig. 1(a) yields the graph in Fig. 1(c). \square

2.5 Revisiting Original Marker Analysis

There were actually previous work on marker analysis by original authors of UnCAL. Figure 6 of Sect. A.1 in the appendix shows typing rules from the technical report version of [2]. Note that we call type to denote sets of input and output markers. Compared to our analysis, these rules are provided declaratively. For example, the rule for **if** says that if sets of output markers in both branches are equal, then the result have that set of output markers. It is not apparent how we obtain the output marker of **if** if the branches have different sets of output markers.

Buneman et al. [4] did mention optimization based on marker analysis, to avoid evaluating unnecessary subexpressions. But it was mainly based on *run-time* analysis. As we propose in the following sections, we can *statically* compute the set of markers and further simplify the transformation itself.

2.6 Fusion Rules and Output Marker Analysis

Buneman et al. [3, 4] proposed the following fusion rules that aim to remove intermediate results in successive applications of structural recursion **rec**.

$$\begin{aligned} & \mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)(\mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)(e_0)) \\ &= \begin{cases} \mathbf{rec}(\lambda(\$l_1, \$t_1).\mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)(e_1))(e_0) & \text{if } e_2 \text{ does not depend on } t_2 \\ \mathbf{rec}(\lambda(\$l_1, \$t_1).\mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)(e_1 @ \mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)(\$t_1)))(e_0) & \text{for arbitrary } e_2 \end{cases} \end{aligned} \quad (1)$$

If you can statically guarantee that e_1 does not produce any output marker, then the second rule is promoted to the first rule, opening another optimization opportunities.

Non-recursive Query. Now questions that might be asked would be how often do such kind of “non-recursive” queries appear. Actually it frequently appears as *extraction* or *join*. Extraction transformation is a transformation in which some subgraph is simply extracted. It is achieved by direct reference of the bound graph variable in the body of **rec**. Join is achieved by nesting of these extraction transformations. Finite steps of edge traversals are expressed by this nesting.

Example 3. The following structural recursion *consecutive* extracts subgraphs that can be accessible by traversing two connected edges of the same label.

$$\begin{aligned} \mathit{consecutive}(\$db) &= \mathbf{rec}(\lambda(\$l, \$g).\mathbf{rec}(\lambda(\$l', \$g'). \\ & \quad \text{if } \$l = \$l' \text{ then } \{\mathbf{result} : \$g'\} \\ & \quad \text{else } \{\} \quad \quad \quad)(\$g))(\$db) \end{aligned}$$

For example, we have $\mathit{consecutive} \left(\begin{array}{c} \begin{array}{ccc} \overset{a}{\bullet} & \overset{a}{\bullet} & \overset{x}{\bullet} \\ \swarrow & \rightarrow & \rightarrow \\ \underset{b}{\bullet} & \overset{a}{\bullet} & \overset{y}{\bullet} \end{array} \end{array} \right) = \begin{array}{c} \circ \xrightarrow{\text{result}} \bullet \xrightarrow{x} \bullet \end{array}$.

If this transformation is followed by $\mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)$ where e_2 refers to $\$t_2$, the second condition of fusion rule applies, but it will be promoted to the first, since the body of **rec** in *consecutive*, which corresponds to e_1 in the fusion rule, does not have output markers. We revisit this case in Example 4 in Sect. 4.

2.7 Other Prior Rewriting Rules

Apart from fusion rules, the following rewriting rules for **rec** are proposed in [4] for optimizations. Type of e is assumed to be $DB_{\mathcal{Z}}^{\mathcal{Z}}$. They simplify the argument of **rec** and increases chances of fusions.

$$\begin{aligned} \mathbf{rec}(\lambda(\$l, \$t).e)(\{\}) &= {}^1 \bigoplus_{\&z \in \mathcal{Z}} \&z := \{\} \\ \mathbf{rec}(\lambda(\$l, \$t).e)(\{l : d\}) &= e[l/\$l][d/\$t] @ \mathbf{rec}(\lambda(\$l, \$t).e)(d) \\ \mathbf{rec}(\lambda(\$l, \$t).e)(d_1 \cup d_2) &= \mathbf{rec}(\lambda(\$l, \$t).e)(d_1) \cup \mathbf{rec}(\lambda(\$l, \$t).e)(d_2) \\ \mathbf{rec}(\lambda(\$l, \$t).e)(\&x := d) &= \&x := {}^2 (\mathbf{rec}(\lambda(\$l, \$t).e)(d)) \\ \mathbf{rec}(\lambda(\$l, \$t).e)(\&x) &= \bigoplus_{\&z \in \mathcal{Z}} \&z := \&y.\&z \\ \mathbf{rec}(\lambda(\$l, \$t).e)(\()) &= (\) \\ \mathbf{rec}(\lambda(\$l, \$t).e)(d_1 \oplus d_2) &= \mathbf{rec}(\lambda(\$l, \$t).e)(d_1) \oplus \mathbf{rec}(\lambda(\$l, \$t).e)(d_2) \end{aligned}$$

$$\begin{array}{l}
& \&x := (\&z := e) \longrightarrow \&x.\&z := e \quad \&x := (e_1 \oplus e_2) \longrightarrow (\&x := e_1) \oplus (\&x := e_2) \\
& e \cup \{\} \longrightarrow e \quad \{\} \cup e \longrightarrow e \quad e \oplus () \longrightarrow e \quad () \oplus e \longrightarrow e \\
& () @ e \longrightarrow () \quad \frac{e :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad \mathcal{X} \cap \mathcal{Y} = \phi}{\mathbf{cycle}(e) \longrightarrow e}
\end{array}$$

Fig. 4. Auxiliary rewriting rules

The first rule eliminates **rec**, while the second rule eliminates an edge from the argument.

$$\frac{\$t \text{ does not occur free in } e}{\mathbf{rec}(\lambda(\$l, \$t).e)(d_1 @ d_2) = \mathbf{rec}(\lambda(\$l, \$t).e)(d_1) @ \mathbf{rec}(\lambda(\$l, \$t).e)(d_2)}$$

$$\frac{\$t \text{ does not occur free in } e}{\mathbf{rec}(\lambda(\$l, \$t).e)(\mathbf{cycle}(d)) = \mathbf{cycle}(\mathbf{rec}(\lambda(\$l, \$t).e)(d))}$$

Additional rules proposed by (full version of) Hidaka et al. [7] to further simplify the body of **rec** are given in Fig. 4. The rules in the last line in Fig. 4 can be generalized by static analysis of the marker in the following section. And given the static analysis, we can optimize further as described in Sect. 4.

3 Enhanced Static Analysis

This section proposes our enhanced marker analysis. Figure 5 shows the proposed marker *inference* rules for UnCAL. Static environment Γ denotes mapping from variables to their types. We assume that the types of free variables are given. Since we focus on graph values, we omit rules for labels. Roughly speaking, $DB_{\mathcal{Y}}^{\mathcal{X}}$ is a type for graphs that have \mathcal{X} input markers exactly and have at most \mathcal{Y} output markers, which will be shown formally by Lemma 1.

The original typing rules were provided based on the subtyping rule

$$\frac{\Gamma \vdash e :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad \mathcal{Y} \subseteq \mathcal{Y}'}{\Gamma \vdash e :: DB_{\mathcal{Y}'}^{\mathcal{X}}}$$

and required the arguments of \cup , \oplus , **if** to have identical sets of output markers. Unlike the original rules, the proposed type system does not use the subtyping rule directly for inference. Combined with the forward evaluation semantics $\mathcal{F}[\!]\!]$ that is summarized in [6], we have the following type safety property.

¹ Original right hand side was $\{\}$ in [4], but we corrected here.

² We overload $:=$ in $\&x := g$ to denote renaming of each input marker $\&z$ in g to $\&x.\&z$.

⁵ Allowing output marker of e_1 in $e_1 @ e_2$ that is not included in the input marker of e_2 is actually our extension, for various reasons, but we believe this removal technique is important for other purposes.

$$\begin{aligned}
\mathcal{X} \cdot \mathcal{Y} &\stackrel{\text{def}}{=} \{\&x \cdot \&y \mid \&x \in \mathcal{X}, \&y \in \mathcal{Y}\} \quad \& \cdot \&x = \&x \cdot \& = \&x \quad (\&x \cdot \&y) \cdot \&z = \&x \cdot (\&y \cdot \&z) \\
&\frac{}{\Gamma \vdash \{\} :: DB_\emptyset} \quad \frac{\Gamma \vdash l :: \text{Label} \quad \Gamma \vdash e :: DB_{\mathcal{Y}}}{\Gamma \vdash \{l : e\} :: DB_{\mathcal{Y}}} \quad \frac{\Gamma \vdash e_1 :: DB_{\mathcal{Y}_1}^{\mathcal{X}} \quad \Gamma \vdash e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}}}{\Gamma \vdash e_1 \cup e_2 :: DB_{\mathcal{Y}_1 \cup \mathcal{Y}_2}^{\mathcal{X}}} \\
&\frac{}{\Gamma \vdash () :: DB_\emptyset^0} \quad \frac{\Gamma \vdash e :: DB_{\mathcal{Y}}^{\mathcal{Z}}}{\Gamma \vdash \&x := e :: DB_{\mathcal{Y}}^{\{\&x\} \cdot \mathcal{Z}}} \quad \frac{}{\Gamma \vdash \&y :: DB_{\{\&y\}}} \\
&\frac{\Gamma \vdash e_1 :: DB_{\mathcal{Y}_1}^{\mathcal{X}_1} \quad \Gamma \vdash e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}_2} \quad \mathcal{X}_1 \cap \mathcal{X}_2 = \emptyset}{\Gamma \vdash e_1 \oplus e_2 :: DB_{\mathcal{Y}_1 \cup \mathcal{Y}_2}^{\mathcal{X}_1 \cup \mathcal{X}_2}} \quad \frac{\Gamma \vdash e_1 :: DB_{\mathcal{Y}_1}^{\mathcal{X}_1} \quad \Gamma \vdash e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}_2}}{\Gamma \vdash e_1 @ e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}_1}} \quad \frac{\Gamma \vdash e :: DB_{\mathcal{Y}}^{\mathcal{X}}}{\Gamma \vdash \mathbf{cycle}(e) :: DB_{\mathcal{Y} \setminus \mathcal{X}}^{\mathcal{X}}} \\
&\frac{\Gamma \vdash e_a :: DB_{\mathcal{Y}}^{\mathcal{X}}}{\Gamma \{\$l \mapsto \text{Label}, \$g \mapsto DB_{\mathcal{Y}}\} \vdash e_b :: DB_{\mathcal{Z}_o}^{\mathcal{Z}_i} \quad \mathcal{Z} = \mathcal{Z}_i \cup \mathcal{Z}_o} \quad \frac{\Gamma \{\$g\} = DB_{\mathcal{Y}}^{\mathcal{X}}}{\Gamma \vdash \$g :: DB_{\mathcal{Y}}^{\mathcal{X}}} \\
&\frac{\Gamma \vdash l_1 :: \text{Label} \quad \Gamma \vdash l_2 :: \text{Label} \quad \Gamma \vdash e_t :: DB_{\mathcal{Y}_t}^{\mathcal{X}_t} \quad \Gamma \vdash e_f :: DB_{\mathcal{Y}_f}^{\mathcal{X}_f}}{\Gamma \vdash \mathbf{if} \, l_1 = l_2 \, \mathbf{then} \, e_t \, \mathbf{else} \, e_f :: DB_{\mathcal{Y}_t \cup \mathcal{Y}_f}^{\mathcal{X}_t \cup \mathcal{X}_f}} \quad \frac{\Gamma \vdash e_1 :: DB_{\mathcal{Y}_1}^{\mathcal{X}_1} \quad \Gamma \{\$g \mapsto DB_{\mathcal{Y}_1}^{\mathcal{X}_1}\} \vdash e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}_2}}{\Gamma \vdash \mathbf{let} \, \$g = e_1 \, \mathbf{in} \, e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}_2}}
\end{aligned}$$

Fig. 5. UnCAL Static Typing (Marker Inference) Rules: Rules for *Label* are Omitted

Lemma 1 (Type Safety). *Assume that g is the graph obtained by $g = \mathcal{F}[e]$ for an expression e . Then, $\vdash e :: DB_{\mathcal{Y}}^{\mathcal{X}}$ implies both $\text{inMarker}(g) = \mathcal{X}$ and $\text{outMarker}(g) \subseteq \mathcal{Y}$.*

Lemma 1 guarantees that the set of input markers estimated by the type inference is exact in the sense that the set of input markers generated by evaluation exactly coincides with that of the inferred type. For the output markers, the type system provides an over-approximation in the sense that the set of output markers generated by evaluation is a subset of the inferred set of output markers. Since the statement on the input marker is a direct consequence of the rules in [4], we focus that on the output markers and prove it. The proof, which is based on induction on the structure of UnCAL expression, is in Sect. A.2 in the appendix.

4 Enhanced Rewiring Optimization

This section proposes enhanced rewriting optimization rules based on the static analysis shown in the previous section.

4.1 Rule for @ and Revised Fusion Rule

Statically-inferred markers enables us to optimize expressions much more. We can generalize the rewriting rules in the last row of Fig. 4 by not just referring to the pattern of subexpressions but its estimated markers, such as

$$() @ e \longrightarrow () \quad \Rightarrow \quad \frac{e_1 :: DB_\emptyset^{\mathcal{X}}}{e_1 @ e_2 \longrightarrow e_1} \quad (2)$$

As we have seen in Sect. 2, we have two fusion rules for **rec**. Although the first rule can be used to gain performance, the second rule is more complex so less performance gain is expected. Using (2), we can relax the condition of the first condition of the fusion rule (1) to increase chances to apply the first rule as follows.

$$\begin{aligned} & \mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)(\mathbf{rec}(\lambda(\$l_1, \$t_1).e_1)(e_0)) \\ &= \mathbf{rec}(\lambda(\$l_1, \$t_1).\mathbf{rec}(\lambda(\$l_2, \$t_2).e_2)(e_1))(e_0) \\ & \quad \text{if } e_2 \text{ does not depend on } \$t_2, \text{ or } \underline{e_1 :: DB_\emptyset^{\mathcal{X}}} \end{aligned}$$

Here, the underlined part is changed.

4.2 Further Optimization with Static Marker Information

For more general cases of @, we have the following rule.

$$\frac{e_1 :: DB_{\mathcal{Y}_1}^{\mathcal{X}} \quad e_2 :: DB_{\mathcal{Z}}^{\mathcal{Y}_2} \quad \mathcal{Y}_1 \cap \mathcal{Y}_2 = \emptyset \quad \mathbf{Rm}_{\mathcal{Y}_1} \langle\langle e_1 \rangle\rangle = e}{e_1 @ e_2 \longrightarrow e}$$

$\mathbf{Rm}_{\mathcal{Y}} \langle\langle e \rangle\rangle$ denotes static removal of the set of output markers. It's definition will be given in the next subsection. It is necessary for correctness of the optimization transformation.

4.2.1 Static Output-Marker Removal Algorithm and Soundness

The formal definition of $\mathbf{Rm}_{\mathcal{Y}} \langle\langle e \rangle\rangle$ is shown below.

$$\begin{aligned} \mathbf{Rm}_\emptyset \langle\langle e \rangle\rangle &= e & \mathbf{Rm}_{\mathcal{X} \cup \mathcal{Y}} \langle\langle e \rangle\rangle &= \mathbf{Rm}_{\mathcal{Y}} \langle\langle \mathbf{Rm}_{\mathcal{X}} \langle\langle e \rangle\rangle \rangle & \mathbf{Rm}_{\{\&y\}} \langle\langle \{\} \rangle\rangle &= \{\} \\ \mathbf{Rm}_{\{\&y\}} \langle\langle () \rangle\rangle &= () & \mathbf{Rm}_{\{\&y\}} \langle\langle \&y \rangle\rangle &= \{\} & \mathbf{Rm}_{\{\&y\}} \langle\langle \&x \rangle\rangle &= \&x \\ \mathbf{Rm}_{\{\&y\}} \langle\langle e_1 \odot e_2 \rangle\rangle &= \mathbf{Rm}_{\{\&y\}} \langle\langle e_1 \rangle\rangle \odot \mathbf{Rm}_{\{\&y\}} \langle\langle e_2 \rangle\rangle & (\odot \in \{\cup, \oplus\}) \\ \mathbf{Rm}_{\{\&y\}} \langle\langle \&x := e \rangle\rangle &= (\&x := \mathbf{Rm}_{\{\&y\}} \langle\langle e \rangle\rangle) \\ \mathbf{Rm}_{\{\&y\}} \langle\langle \{l : e\} \rangle\rangle &= \{l : \mathbf{Rm}_{\{\&y\}} \langle\langle e \rangle\rangle\} \\ \mathbf{Rm}_{\{\&y\}} \langle\langle e_1 @ e_2 \rangle\rangle &= e_1 @ \mathbf{Rm}_{\{\&y\}} \langle\langle e_2 \rangle\rangle \\ \mathbf{Rm}_{\{\&y\}} \langle\langle \text{if } b \text{ then } e_1 \text{ else } e_2 \rangle\rangle &= \text{if } b \text{ then } \mathbf{Rm}_{\{\&y\}} \langle\langle e_1 \rangle\rangle \text{ else } \mathbf{Rm}_{\{\&y\}} \langle\langle e_2 \rangle\rangle \end{aligned}$$

Since the output markers of the result of @ are not affected by that of e_1 , e_1 is not visited in the rule of @. In the following, $\text{Id}_{\mathcal{Y}}^{\mathcal{Y}}$ and $\text{Bot}_{\emptyset}^{\mathcal{Y}}$ is respectively defined as $\bigoplus_{\&z \in \mathcal{Y}} \&z := \&z$ and $\bigoplus_{\&z \in \mathcal{Y}} \&z := \{\}$.

$$\begin{aligned} & \frac{e :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad \&y \in (\mathcal{Y} \setminus \mathcal{X})}{\mathbf{Rm}_{\{\&y\}} \langle\langle \text{cycle}(e) \rangle\rangle = \text{cycle}(\mathbf{Rm}_{\{\&y\}} \langle\langle e \rangle\rangle)} & \frac{e :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad \&y \notin (\mathcal{Y} \setminus \mathcal{X})}{\mathbf{Rm}_{\{\&y\}} \langle\langle \text{cycle}(e) \rangle\rangle = \text{cycle}(e)} \\ & \frac{\$v :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad \&y \notin \mathcal{Y}}{\mathbf{Rm}_{\{\&y\}} \langle\langle \$v \rangle\rangle = \$v} & \frac{\$v :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad \&y \in \mathcal{Y}}{\mathbf{Rm}_{\{\&y\}} \langle\langle \$v \rangle\rangle = \$v @ (\text{Bot}_{\emptyset}^{\{\&y\}} \oplus \text{Id}_{\mathcal{Y} \setminus \{\&y\}}^{\mathcal{Y}})} \end{aligned}$$

The first rule of $\$v$ says that according to the safety of type inference, $\&y$ is guaranteed not to result at run-time, so the expression $\$v$ remains unchanged. The second rule actually removes the output marker $\&y_j$, but static removal is impossible. So the removal is deferred till run-time. The output node marked $\&y_j$ is connected to node produced by $\&y := \{\}$. Since the latter node has no output marker, the original output marker disappears from the graph produced by the evaluation. The rest of the $\&y_k := \&y_k$ does no operation on the marker. Since estimation \mathcal{Y} is the upper bound, the output maker may not be produced at run-time. If it is the case, connection with ε -edge by $@$ does not occur, and the nodes produced by the $:=$ expressions are left unreachable, so the transformation is still valid. As another side effect, $@$ may connect identically marked output nodes to single node. However, the graph before and after this “funneling” connection are bisimilar, since every leaf node with identical output markers are bisimilar by definition. Should the output nodes are to be further connected to other input nodes, the target node is always single, because more than one node with identical input marker is disallowed by the data model. So this connection does no harm. Note that the second rule increases the size of the expression, so it may increase the cost of evaluation.

$$\frac{\text{rec}(\lambda(\$l, \$t).e_b)(e_a) :: DB_{\mathcal{Y} \cdot \mathcal{Z}}^{\mathcal{X}} \quad \&y \in \mathcal{Y}}{\text{Rm}_{\{\&y, \&z \mid \&z \in \mathcal{Z}\}} \langle \langle \text{rec}(\lambda(\$l, \$t).e_b)(e_a) \rangle \rangle = \text{rec}(\lambda(\$l, \$t).e_b)(\text{Rm}_{\{\&y\}} \langle \langle e_a \rangle \rangle)}$$

For **rec**, one output marker $\&y$ in e_a corresponds to $\{\&y\} \cdot \mathcal{Z} = \{\&y, \&z \mid \&z \in \mathcal{Z}\}$ in the result. So removal of $\&y$ from e_a results in removal of all of the $\{\&y\} \cdot \mathcal{Z}$. So only removal of all of $\{\&y, \&z \mid \&z \in \mathcal{Z}\}$ at a time is allowed.

Lemma 2 (Soundness of Static Output-Marker Removal Algorithm).

Assume that $G = (V, E, I, O)$ is a graph obtained by $G = \mathcal{F}[e]$ for an expression e , and e' is the expression obtained by $\text{Rm}_{\mathcal{Y}} \langle \langle e \rangle \rangle$. Then, we have $\mathcal{F}[e'] = (V, E, I, \{(v, \&y) \in O \mid \&y \notin \mathcal{Y}\})$.

Lemma 2 guarantees that no output marker in \mathcal{Y} appears at run-time if $\text{Rm}_{\mathcal{Y}} \langle \langle e \rangle \rangle$ is evaluated.

4.2.2 Plugging Expression to Output Marker Expression

The following rewriting rule is to plug an expression into another through correspondingly marked node.

$$\{l : \&y\} @ (\&y := e) \longrightarrow \{l : e\}$$

This kind of rewriting was actually implicitly used in the exemplification of optimization in [4], but was not generalized. We can generalize this rewriting as

$$e @ (\&y := e') \longrightarrow \begin{cases} \text{Rm}_{\mathcal{Y} \setminus \{\&y\}} \langle \langle e \rangle \rangle [e' / \&y] & \text{if } \&y \in \mathcal{Y} \text{ where } e :: DB_{\mathcal{Y}}^{\mathcal{X}} \\ \text{Rm}_{\mathcal{Y}} \langle \langle e \rangle \rangle & \text{otherwise.} \end{cases}$$

where $e[e' / \&y]$ denotes substitution of $\&y$ by e' in e . Since nullary constructors $\{\}$, $()$, and $\&x \neq \&y$ do not produce output marker $\&y$, the substitution takes

no effect and the rule in the latter case apply. So we focus on the former case in the sequel. For most of the constructors the substitution rules are rather straightforward:

$$\begin{aligned}
& \&y[e/\&y] = e \\
& (e_1 \odot e_2)[e/\&y] = (e_1[e/\&y]) \odot (e_2[e/\&y]) \quad (\odot \in \{\cup, \oplus\}) \\
& (\&x := e)[e'/\&y] = (\&x := (e[e'/\&y])) \\
& \{l : e\}[e'/\&y] = \{l : (e[e'/\&y])\} \\
& (e_1 @ e_2)[e/\&y] = e_1 @ (e_2[e/\&y]) \\
& (\mathbf{if} \ b \ \mathbf{then} \ e_1 \ \mathbf{else} \ e_2)[e/\&y] = \mathbf{if} \ b \ \mathbf{then} \ (e_1[e/\&y]) \ \mathbf{else} \ (e_2[e/\&y])
\end{aligned}$$

Since the final output marker for @ is not affected by that of e_1 , e_1 is not visited in the rule of @. For **cycle**, we should be careful to avoid capturing of marker.

$$\mathbf{cycle}(e)[e'/\&y] = \begin{cases} \mathbf{cycle}(e[e'/\&y]) & \text{if } (\mathcal{Y}' \cap \mathcal{X}) = \emptyset \text{ where } e :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad e' :: DB_{\mathcal{Y}'} \\ \mathbf{cycle}(e)[e'/\&y] & \text{otherwise.} \end{cases}$$

The above rule says that if $\&y$ will be a “free” marker in e , that is, the output markers in e' , namely \mathcal{Y}' will not be captured by **cycle**, then we can plug e' into output marker expression in e . If some of the output markers in \mathcal{Y}' are included in \mathcal{X} , then the renaming is necessary. As suggested in the full version of [3], markers in \mathcal{X} instead of those in \mathcal{Y}' should be renamed. And that renaming can be compensated outside of **cycle** as follows:

$$\overline{\mathbf{cycle}}(e) \stackrel{\text{def}}{=} \left(\bigoplus_{\&x \in \mathcal{X}} \&x := \&tmp_x \right) @ \mathbf{cycle}(e[\&tmp_{x_1}/\&x_1] \dots [\&tmp_{x_M}/\&x_M])$$

where $\&x_1, \dots, \&x_M = \mathcal{X}$ are the markers to be renamed, and \mathcal{X} of $e :: DB_{\mathcal{Y}}^{\mathcal{X}}$ is used. Note that in the renaming, not only output markers, but also input markers are renamed. $\&tmp_{x_1}, \dots, \&tmp_{x_M}$ are corresponding fresh (temporary) markers. The left hand side of @ recovers the original name of the markers. After renaming by **cycle**, no marker is captured anymore, so substitution is guaranteed to succeed. For variable reference and **rec**, static substitution is impossible. So we resort to the following generic “fall back” rule.

$$\frac{e \in \{\$v, \mathbf{rec}(-)(-)\} \quad e :: DB_{\mathcal{Y}}^{\mathcal{X}} \quad \mathcal{Y} = \{\&y_1, \dots, \&y_j, \dots, \&y_n\}}{e[e'/\&y_j] = e @ \left(\begin{array}{l} \&y_1 := \&y_1, \dots, \&y_{j-1} := \&y_{j-1}, \&y_j := e', \\ \&y_{j-1} := \&y_{j-1}, \dots, \&y_n := \&y_n \end{array} \right)}$$

The “fall back” rule is used for **rec** because unlike output marker removal algorithm, we can not just plug e into e_a since that will not plug e but $\mathbf{rec}(\lambda(\$l, \$t).e_b)(e)$ in the result. We could have used the inverse $\mathbf{rec}(\lambda(\$l, \$t).e_b)^{-1}$ to plug $\mathbf{rec}(\lambda(\$l, \$t).e_b)^{-1}(e')$ instead, but the inverse does not always exist in general.

The overall rewriting is conducted by two mutually recursive functions as follows: driver function P first apply itself to subexpressions recursively, and

then apply function F that implements \longrightarrow and other rewriting rules recursively such as fusions described in this paper, on the result of P .

With respect to proposed rewriting rules in this section, the following theorem hold.

Theorem 1 (Soundness of Rewriting). *If $e \longrightarrow e'$, then $\mathcal{F}[[e]]$ is bisimilar to $\mathcal{F}[[e']]$.*

It can be proved by simple induction on the structure of UnCAL expressions, and omitted here.

Example 4. The following transformation that apply selection after *consecutive* in Example 3

$\mathbf{rec}(\lambda(\$l_1, \$g_1). \mathbf{if} \$l_1 = \mathbf{a} \mathbf{then} \{\$l_1 : \$g_1\} \mathbf{else} \{\}) (\mathit{consecutive}(\$db))$
is rewritten as follows:

$$\begin{aligned}
& \{ \text{expand definition of } \mathit{consecutive} \text{ and apply 2nd fusion rule } \} \\
& \mathbf{rec}(\lambda(\$l, \$g). \mathbf{rec}(\lambda(\$l_1, \$g_1). \mathbf{if} \$l_1 = \mathbf{a} \mathbf{then} \{\$l_1 : \$g_1\} \mathbf{else} \{\}) \\
= & \quad (\mathbf{rec}(\lambda(\$l', \$g'). \mathbf{if} \$l = \$l' \mathbf{then} \{\mathbf{result} : \$g'\} \mathbf{else} \{\}) (\$g)) \\
& \quad @ \mathbf{rec}(\lambda(\$l, \$g). \mathbf{rec}(\lambda(\$l', \$g'). \\
& \quad \quad \mathbf{if} \$l = \$l' \mathbf{then} \{\mathbf{result} : \$g'\} \mathbf{else} \{\}) (\$g)) (\$g)) (\$db) \\
& \{ (2) \} \\
= & \quad \mathbf{rec}(\lambda(\$l, \$g). \mathbf{rec}(\lambda(\$l_1, \$g_1). \mathbf{if} \$l_1 = \mathbf{a} \mathbf{then} \{\$l_1 : \$g_1\} \mathbf{else} \{\}) \\
& \quad (\mathbf{rec}(\lambda(\$l', \$g'). \mathbf{if} \$l = \$l' \mathbf{then} \{\mathbf{result} : \$g'\} \mathbf{else} \{\}) (\$g))) (\$db) \\
& \quad \{ \text{2nd fusion rule, (2), } \mathbf{rec} \text{ rule for } \mathbf{if} \text{ and } \{l : d\}, \text{ static label comparison } \} \\
= & \quad \mathbf{rec}(\lambda(\$l, \$g). \mathbf{rec}(\lambda(\$l', \$g'). \{\}) (\$g)) (\$db)
\end{aligned}$$

This example demonstrates the second fusion rule promotes to the first. The top level edges of the result of *consecutive* are always labeled **result** while the selection selects subgraphs under edges labeled **a**. So the result will always be empty, and correspondingly the body of **rec** in the final result is $\{\}$.

More examples can be found in Sect. A.3 in the appendix.

5 Implementation and Performance Evaluation

This section reports preliminary performance evaluations.

5.1 Implementation in GRoundTram

All of the transformation in the paper are implemented in **GRoundTram**, or **Graph Roundtrip Transformation for Models**, which is a system to build a bidirectional transformation between two models (graphs). All the source codes are available online at www.biglab.org. The following experimental results are obtained by the system.

Table 1. Summary of experiments (running time is in CPU seconds)

	direction	no rewriting	previous [4, 7]	ours
<i>Class2RDB</i>	forward	1.18	0.68	0.68
	backward	14.5	7.99	7.89
<i>PIM2PSM</i>	forward	0.08	0.77 (2*3)	0.07 (2*13)
	backward	1.62	3.64	0.75
<i>C2Osel</i>	forward	0.04	0.04 (2*1)	0.05 (2*11)
	backward	2.26	0.26	0.27
<i>C2Osel'</i>	forward	0.05	0.06 (2*1)	0.04 (2*11)
	backward	2.53	2.58	1.26
<i>UnQL</i>	forward	0.022	0.016 (1*1)	0.010 (1*1)
	backward	0.85	0.30	0.15

5.2 Performance Results

Performance evaluation was conducted on **GRoundTram**, running on MacOSX over MacBookPro 17 inch, with 3.06 GHz Intel Core 2 Duo CPU. Time complexity is PTIME for the size of input graph[4], and exponential in the size (number of compositions or nesting of **recs**) of the transformation. In the experiments, the size of input data (graph) is not very large (up to a hundred of nodes).

Table 1 shows the experimental results. Each running time includes time for forward and backward transformations [6], and for backward transformations, algorithm for edge-renaming is used, and no modification on the target is actually given. However, we suppose presence of modification would not make much difference in the running time. Running time of forward transformation in which rewriting is applied (last two columns) includes time for rewriting. Rewriting took 0.006 CPU seconds at the worst case (*PIM2PSM*, ours). *Class2RDB* stands for class diagram to table diagram transformation, *PIM2PSM* for platform independent model to platform specific model transformation, *C2Osel* is for transformation of customer oriented database into order oriented database, followed by a simple selection, and *UnQL* is the example that is extracted from our previous paper [7], which was borrowed from [4]. It is a composition of two **recs**. Concrete plugging optimizations in this example can be traced in Sect. A.3 in the appendix.

The numbers in parentheses show how often the fusion transformation happened. For example, *PIM2PSM* led to 3 fusions based on the second rule, and further enhanced rewriting led to 10 more fusion rule applications, all of which promoted to the first rule via proposed rewriting rule (2). Same promotions happened to *C2Osel*. Except for *C2Osel'*, a run-time optimization in which unreachable parts are removed after every application of **rec** is applied. Enhanced rewriting led to performance improvements in both forward and backward evaluations, except *C2Osel*. Comparing “previous” with “no rewriting”, *PIM2PSM* and *C2Osel'* led to slowdown. These slowdown are explained as follows. The

fusion turns composition of **recs** to their nesting. In the presence of the run-time optimization, composition is advantageous than nesting when only small part of the result is passed to the subsequent **recs**, which will run faster than when passed entire results (including unreachable parts). Once nested, intermediate result is not produced, but the run-time optimization is suppressed because every execution of the inner **rec** traverses the input graph. *C2Osel'* in which run-time optimization is turned off, shows that the enhanced rewriting itself lead to performance improvements.

6 Related Work

Some optimization rules were mentioned in [7], but relationship with static marker analysis was not covered in depth. By enhanced marker analysis and rewriting rules in present paper, all the rules in [7] can be generalized uniformly.

An implementation of rewriting optimizations was reported in [6] but concrete strategies were not included in the paper.

Full (technical report) version of [3] dealt with plugging constructor-only expressions into output marker expressions. It was motivated by authors need to express semantics of @ at the constructor expression level and not graph data level as in [4]. It also mentioned renaming of markers to avoid capture of the output markers in the cycle expressions⁶. We do attempt the same thing at the expression level but we argue here more formally.

The technical report also mentioned the semantics of **rec** on the cycle constructor expressions, even when the body expressions refer to graph variables, although marker environment that maps markers to connected subgraphs introduced there makes the semantics complex. The journal version [4] did not include this semantics on the cycle constructor expressions. But we could use the semantics to enhance rewriting rules for **rec** with **cycle** arguments.

The journal version mentioned run-time evaluation strategy in which only necessary components of structural recursion is executed. For example, only $\&z_1$ component of **rec** in $\&z_1 @ \mathbf{rec}(-)(-)$ is evaluated.

A static analysis of UnCAL was described in [1], but the main motivation was to analyze structure of graphs using graph schema.

7 Conclusion

In this paper, under the context of graph transformation using UnCAL graph algebra, enhanced static marker inference is first formalized. Fusion rule becomes more powerful thanks to the static marker analysis. Further rewriting rules based on this inference are also explored. Marker renaming for capture avoidance is formalized to support the rewriting rules.

⁶ In the technical report, cycle was represented by parallel equations, without **cycle** operator in current UnCAL form.

Preliminary performance evaluation shows the usefulness of the optimization for various non-trivial transformations in the field of software engineering research.

Under the context of bidirectional graph transformations [6], one of the advantage of static analysis is that we can keep implementation of bidirectional interpreter intact. Future work under this context includes reasoning about effects on the backward updatability. Although rewriting preserves well-behavedness of bidirectional transformations, backward transformation before and after rewriting may accept different update operations. Our conjecture is that simplified transformation accepts more updates, but this argument requires further discussions.

Acknowledgments We thank reviewers and Dr. Kazuyuki Asada for their thorough comments on earlier versions of the paper. The research was supported in part by the Grand-Challenging Project on “Linguistic Foundation for Bidirectional Model Transformation” from the National Institute of Informatics, Encouragement of Young Scientists (B) of the Grant-in-Aid for Scientific Research No. 20700035.

References

1. A. A. Benczúr and B. Kósa. Static analysis of structural recursion in semistructured databases and its consequences. In *ADBIS*, pages 189–203, 2004.
2. P. Buneman, S. Davidson, M. Fernandez, and D. Suciu. Adding structure to unstructured data. In *ICDT*, volume 1186 of *LNCS*, pages 336–350, 1997.
3. P. Buneman, S. Davidson, G. Hillebrand, and D. Suciu. A query language and optimization techniques for unstructured data. In *SIGMOD*, pages 505–516, 1996.
4. P. Buneman, M. F. Fernandez, and D. Suciu. UnQL: a query language and algebra for semistructured data based on structural recursion. *VLDB J.*, 9(1):76–110, 2000.
5. K. Ehrig, E. Guerra, J. de Lara, L. Lengyel, T. Levendovszky, U. Prange, G. Taentzer, D. Varró, and S. Varró-Gyapay. Model transformation by graph transformation: A comparative study. Presented at *MTiP 2005*. <http://www.inf.mit.bme.hu/FTSRG/Publications/varro/2005/mtip05.pdf>, 2005.
6. S. Hidaka, Z. Hu, K. Inaba, H. Kato, K. Matsuda, and K. Nakano. Bidirectionalizing graph transformations. In *ACM SIGPLAN International Conference on Functional Programming*, pages 205–216. ACM, 2010.
7. S. Hidaka, Z. Hu, H. Kato, and K. Nakano. Towards a compositional approach to model transformation for software development. In *SAC 2009*, pages 468–475, 2009.
8. G. Rozenberg, editor. *Handbook of Graph Grammars and Computing by Graph Transformations, Volume 1: Foundations*. World Scientific, 1997.
9. I. Sasano, Z. Hu, S. Hidaka, K. Inaba, H. Kato, and K. Nakano. Toward bidirectionalization of ATL with GRoundTram. In *ICMT*, June 2011. To appear.
10. P. Stevens. Bidirectional model transformations in QVT: Semantic issues and open questions. In *MoDELS 2007*, pages 1–15, 2007.
11. P. Wadler. Deforestation: Transforming programs to eliminate trees. In *Proc. ESOP (LNCS 300)*, pages 344–358, 1988.

A Appendix

A.1 UnCAL Original Static Typing Rules

$$\begin{array}{c}
\frac{a \in \mathcal{U}}{a : \text{Label}} \quad \frac{y \text{ a label variable}}{y : \text{Label}} \quad \frac{t \text{ a tree variable of type } \text{Tree}_{\mathcal{X}}}{t : \text{Tree}_{\mathcal{X}}} \\
\frac{}{\{\} : \text{Tree}_{\mathcal{X}}} \quad \frac{X \in \mathcal{X}}{X : \text{Tree}_{\mathcal{X}}} \quad \frac{l : \text{Label} \quad Q : \text{Tree}_{\mathcal{X}}}{\{l \Rightarrow Q\} : \text{Tree}_{\mathcal{X}}} \\
\frac{l_1 : \text{Label} \quad l_2 : \text{Label}}{l_1 = l_2 : \text{Bool}} \quad \frac{l_1 : \text{Label} \quad \dots \quad l_n : \text{Label} \quad p \text{ a variable}}{p(l_1, \dots, l_n) : \text{Bool}} \\
\frac{b : \text{Bool} \quad Q_1 : \text{Tree}_{\mathcal{X}} \quad Q_2 : \text{Tree}_{\mathcal{X}}}{\text{if } b \text{ then } Q_1 \text{ else } Q_2 : \text{Tree}_{\mathcal{X}}} \\
\frac{Q_1 : \text{Tree}_{\mathcal{Y}} \quad \dots \quad Q_m : \text{Tree}_{\mathcal{Y}}}{(X_1 := Q_1, \dots, X_m := Q_m) : \text{Tree}_{\mathcal{Y}}^{\{x_1, \dots, x_m\}}} \\
\frac{Q_1 : \text{Tree}_{\mathcal{X}} \quad Q_2 : \text{Tree}_{\mathcal{X}}}{Q_1 \cup Q_2 : \text{Tree}_{\mathcal{X}}} \quad \frac{Q_1 : \text{Tree}_{\mathcal{X}} \quad Q_2 : \text{Tree}_{\mathcal{Y}}^x}{Q_1 @_{\mathcal{X}} Q_2 : \text{Tree}_{\mathcal{Y}}} \\
\frac{y \text{ label variable} \quad t \text{ tree variable of type } \text{Tree}_{\mathcal{Y}} \quad Q_1 : \text{Tree}_{\mathcal{X}}^x \quad Q_2 : \text{Tree}_{\mathcal{Y}}}{\text{gext}_{\mathcal{X}}(\lambda(y, t).Q_1)(Q_2) : \text{Tree}_{\mathcal{X}, \mathcal{Y}}^x}
\end{array}$$

Fig. 6. UnCAL Original Static Typing Rules (TR ver. of [2])

Note that *gext* is an old notation of structural recursion **rec**.

A.2 Proof of Lemma 1 (Refined Type Safety)

The proof of Lemma 1 is based on induction on the structure of UnCAL expression.

Proof. Base case:

Free variables: We assume that the type of free variables such as $\$db$ (input of the entire transformation) is available.

$\{\}$: By the definition of $\mathcal{F}[\{\}]$, $\text{outMarker}(g) = \emptyset$. By the type inference rule, $\{\} :: DB_{\emptyset}$. Therefore, $\emptyset = \text{outMarker}(g) \subseteq \mathcal{Y} = \emptyset$.

$\&y$: $\text{outMarker}(\mathcal{F}[\&y]) = \{\&y\}$ and $\&y :: DB_{\{\&y\}}$. $\&y :: DB_{\{\&y\}}$. Therefore, $\{\&y\} = \text{outMarker}(g) \subseteq \mathcal{Y} = \{\&y\}$. Another nullary constructor $()$: is treated similarly.

Inductive case:

$\{l : e\}$: Suppose $e :: DB_{\mathcal{Y}}$, $\mathcal{F}[e] = g$, and $\mathcal{F}[\{l : e\}] = g'$. Then $\text{outMarker}(g') = \text{outMarker}(g)$ by the definition of $\mathcal{F}[\{\}]$ and $\{l : e\} :: DB_{\mathcal{Y}}$ by the type inference rule. Now suppose $\text{outMarker}(g) \subseteq \mathcal{Y}$ as an induction hypothesis. Then we have $\text{outMarker}(g) = \text{outMarker}(g') \subseteq \mathcal{Y}$. $\&m := e$ is treated similarly.

$e_1 \cup e_2$: Suppose $e_1 :: DB_{\mathcal{Y}_1}^x$, $e_2 :: DB_{\mathcal{Y}_2}^x$, $\mathcal{F}[e_1] = g_1$, $\mathcal{F}[e_2] = g_2$, and

$\mathcal{F}[e_1 \cup e_2] = g'$. Then $\text{outMarker}(g') = \text{outMarker}(g_1) \cup \text{outMarker}(g_2)$ by the definition of $\mathcal{F}[\]$ and $e_1 \cup e_2 :: DB_{\mathcal{Y}_1 \cup \mathcal{Y}_2}$ by the type inference rule. Now suppose $\text{outMarker}(g_1) \subseteq \mathcal{Y}_1$ and $\text{outMarker}(g_2) \subseteq \mathcal{Y}_2$ as induction hypotheses. Then, by the property of the set union, we have $\text{outMarker}(g') = \text{outMarker}(g_1) \cup \text{outMarker}(g_2) \subseteq \mathcal{Y}_1 \cup \mathcal{Y}_2$. \oplus is treated similarly because type inference and evaluation rules for the output markers are identical to those of \cup .

$e_1 @ e_2$: Suppose $e_1 :: DB_{\mathcal{Y}_1}^{\mathcal{X}}$, $e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{Z}}$, $\mathcal{F}[e_1] = g_1$, $\mathcal{F}[e_2] = g_2$, and $\mathcal{F}[e_1 @ e_2] = g'$. Then $\text{outMarker}(g') = \text{outMarker}(g_2)$ by the definition of $\mathcal{F}[\]$ and $e_1 @ e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}}$ by the type inference rule. Observe that (after connecting with matching input markers in g_2) the output markers in g_1 are ignored. Now suppose $\text{outMarker}(g_2) \subseteq \mathcal{Y}_2$ as an induction hypothesis. Then we have $\text{outMarker}(g') = \text{outMarker}(g_2) \subseteq \mathcal{Y}_2$.

cycle(e): Suppose $e :: DB_{\mathcal{Y}}^{\mathcal{X}}$, $\mathcal{F}[e] = g$, and $\mathcal{F}[\text{cycle}(e)] = g'$. Then $\text{outMarker}(g') = \text{outMarker}(g) \setminus \text{inMarker}(g)$ by the definition of $\mathcal{F}[\]$ and $\text{cycle}(e) :: DB_{\mathcal{Y} \setminus \mathcal{X}}$ by the type inference rule. Now suppose $\text{outMarker}(g) \subseteq \mathcal{Y}$ as an induction hypothesis. Then, since $\mathcal{X} = \text{inMarker}(g)$ by the exactness of input marker inference, we have $\text{outMarker}(g') = \text{outMarker}(g) \setminus \text{inMarker}(g) \subseteq \mathcal{Y} \setminus \mathcal{X}$.

if b then e_1 else e_2 : Suppose $e_1 :: DB_{\mathcal{Y}_1}^{\mathcal{X}}$, $e_2 :: DB_{\mathcal{Y}_2}^{\mathcal{X}}$, $\mathcal{F}[e_1] = g_1$, $\mathcal{F}[e_2] = g_2$, and $\mathcal{F}[\text{if } b \text{ then } e_1 \text{ else } e_2] = g'$. Then, depending on the value of b , $\text{outMarker}(g') = \text{outMarker}(g_1)$ or $\text{outMarker}(g') = \text{outMarker}(g_2)$ by the definition of $\mathcal{F}[\]$ and $\text{if } b \text{ then } e_1 \text{ else } e_2 :: DB_{\mathcal{Y}_1 \cup \mathcal{Y}_2}^{\mathcal{X}}$ by the type inference rule. Now suppose $\text{outMarker}(g_1) \subseteq \mathcal{Y}_1$ and $\text{outMarker}(g_2) \subseteq \mathcal{Y}_2$ as induction hypotheses and do case analysis for b . If $b = \text{true}$, then $\text{outMarker}(g') = \text{outMarker}(g_1)$, so $\text{outMarker}(g') = \text{outMarker}(g_1) \subseteq \mathcal{Y}_1$. For the other case, $\text{outMarker}(g') = \text{outMarker}(g_2) \subseteq \mathcal{Y}_2$. For either case, by the property of the set union, we have $\text{outMarker}(g') \subseteq \mathcal{Y}_1 \cup \mathcal{Y}_2$.

rec($\lambda(\$l, \$t).e_b$)(e_a): Suppose $e_a :: DB_{\mathcal{Y}}^{\mathcal{X}}$, $\mathcal{F}[e_a] = g$, $e_b :: DB_{\mathcal{Z}_o}^{\mathcal{Z}_i}$, and $\mathcal{F}[\text{rec}(\lambda(\$l, \$t).e_b)(e_a)] = g'$. Then, $\text{outMarker}(g') = \{\&y.\&z \mid \&y \in \text{outMarker}(g), \&z \in \mathcal{Z}\}$ by the definition of $\mathcal{F}[\]$ where $\mathcal{Z} = \mathcal{Z}_i \cup \mathcal{Z}_o$, and $\text{rec}(\lambda(\$l, \$t).e_b)(e_a) :: DB_{\mathcal{Y}.\mathcal{Z}}^{\mathcal{X}.\mathcal{Z}}$ by the type inference rule. Now suppose $\text{outMarker}(g) \subseteq \mathcal{Y}$ as induction hypotheses. Then we have $\text{outMarker}(g') = \{\&y.\&z \mid \&y \in \text{outMarker}(g), \&z \in \mathcal{Z}\} \subseteq \{\&y.\&z \mid \&y \in \mathcal{Y}, \&z \in \mathcal{Z}\}$. Observe that $\mathcal{F}[\]$ does not use set of markers produced by e_b at run-time. Readers may wonder how the output markers are accessed via graph variable t , i.e., \mathcal{Y} bound by **rec** affect the final result. Buneman et al. [4] does not explicitly mention, but it is natural to interpret as follows: Usually \mathcal{Y} is disjoint from \mathcal{Z}_i and therefore the output nodes marked by \mathcal{Y} are not connected to $S1$ node⁷. Therefore we can safely ignore such \mathcal{Y} in e_b .
Bound Variables : Variable $\$t$ is introduced by **rec**($\lambda(\$l, \$t).e_b$)(e_a) and $\$t$ is bound to each of the subgraphs reachable from each edge. Similarly to [4], the type inference rule estimates the output markers as identical to that for e_a . So assuming type safety for e_a , type safety for $\$t$ immediately follows.

The above analysis covers all the expressions and thus conclude the proof. \square

⁷ $S1$ node is a sort of Hub nodes, each of which corresponds to node produced by e_a

A.3 Concrete Rewriting Examples

This section shows input and output of optimizations used in “UnQL” transformation appeared in Sect. 5. For input transformation **Q1**, our system produces **Q2** by applying first fusion rule. Previously the translation from **Q2** to **Q3** was not automatic, but algorithm in Sect. 4 enables deriving **Q3** automatically.

Q3 can be obtained by the plugging based rewriting rules. For example,

```
(&z1 := (&z1 := {"name": &z2}, &z2 := {"name": &z2}))
  @ (&z2 := &z1&z2, &z1 := &z1&z1)
```

becomes

```
&z1 := (&z1 := {"name": &z1&z2}, &z2 := {"name": &z1&z2}).
```

This pattern frequently appears after **rec** fusion because **rec** often appears in the pattern $\&z @ \mathbf{rec}(_)(_)$ because from the UnQL surface syntax, only one component of structural recursion is necessary and the idiom $\&z @ _$ implements this projection.

Q 1.

```
&z1@rec(\ ($L,$T).
  if $L = "name"
  then (&z1 := {"name": &z2},
        &z2 := {"name": &z2})
  else (&z1 := &z1, &z2 := {$L: &z2}))
(&z1@rec(\ ($L,$T).
  if $L = "name"
  then (&z1 := {"name": &z1},
        &z2 := {"typeName": &z2})
  else if $L = "primitiveDataType"
  then (&z1 := {"primitiveDataType": &z2},
        &z2 := {"primitiveDataType": &z2})
  else (&z1 := {$L: &z1}, &z2 := {$L: &z2}))
  ($db))
```

Q 2.

```
&z1@(&z2 := &z1&z2, &z1 := &z1&z1)@
rec(\ (Sa1,$T).
  if Sa1="name"
  then (&z1 := (&z1 := {"name": &z2},
                &z2 := {"name": &z2})
        @ (&z2 := &z1&z2, &z1 := &z1&z1),
        &z2 := (&z1 := &z1,
                &z2 := {"typeName": &z2}))
  @ (&z2 := &z2&z2, &z1 := &z2&z1))
  else if Sa1 = "primitiveDataType"
  then (&z1 := (&z1 := &z1,
```

```

        &z2 := {"primitiveDataType": &z2})
    @ (&z2 := &z2&z2, &z1 := &z2&z1),
      &z2 := (&z1 := &z1,
            &z2 := {"primitiveDataType": &z2})
    @ (&z2 := &z2&z2, &z1 := &z2&z1))
else (&z1 := if $Sa1 = "name"
      then (&z1 := {"name": &z2},
            &z2 := {"name": &z2})
      else (&z1 := &z1, &z2 := {$Sa1: &z2})
        @ (&z2 := &z1&z2, &z1 := &z1&z1),
          &z2 := if $Sa1 = "name"
                then (&z1 := {"name": &z2},
                      &z2 := {"name": &z2})
                else (&z1 := &z1, &z2 := {$Sa1: &z2})
            @ (&z2 := &z2&z2, &z1 := &z2&z1)))($db)

```

Q 3.

```

&z1@(&z2 := &z1&z2, &z1 := &z1&z1)@
rec(\ ($Sa1,$T).
  if $Sa1="name"
  then (&z1&z1 := {"name": &z1&z2},
        &z1&z2 := {"name": &z1&z2},
        &z2&z1 := &z2&z1,
        &z2&z2 := {"typeName": &z2&z2})
  else if $Sa1 = "primitiveDataType"
  then (&z1&z1 := &z2&z1,
        &z1&z2 := {"primitiveDataType": &z2&z2},
        &z2&z1 := &z2&z1,
        &z2&z2 := {"primitiveDataType": &z2&z2})
  else (&z1 := if $Sa1 = "name"
            then (&z1 := {"name": &z1&z2},
                  &z2 := {"name": &z1&z2})
            else (&z1 := &z1&z1,
                  &z2 := {$Sa1: &z1&z2})),
        &z2 := if $Sa1 = "name"
              then (&z1 := {"name": &z2&z2},
                    &z2 := {"name": &z2&z2})
              else (&z1 := &z2&z1,
                    &z2 := {$Sa1: &z2&z2})
    ))($db)

```